

BOHAI 7 ("BH7")



For Additional Information Please Contact:

COSL DRILLING

Marketing Department

P. O. Box 232, Beijing 101149, China, P.R.C

Phone: +86 010 84522511 Fax: +86 010 84522867

sh_cosldrillingmarket@cosl.com.cn

www.cosl.com.cn

General Description	
Design/Generation	Bohai design Co/ VHT-904
Constructing Shipyard	Dalian Shipbuilding Industry Co, Ltd. P.R.C
Year Enter Service/Significant Upgrades	1983
Classification	CCS
Flag	China
Displacement	7,235tons
Variable Deck	1,376tons
Operating Water Depth	130ft
Maximum Drilling Depth	20,000ft
Accommodation	120
Drilling Equipment	
Top Drive	Varco TDS-11SA ,800HP, 5,000psi
Draw works	EMSCO/C-2 with 2x800HPDC
Derrick	EMSCO/ 20 RD
Cantilever	
Mud Pumps	BAOJI OILFIELD MACHINERY CO.LTD F-1600 x 2, 2 x 800HPeach, 5,000psi
Storage Capacities	
Fuel Oil	2,297bbls
Liquid Mud	2,754bbls
Base Oil	441bbls
Brine	441bbls
Drill Water	1,070bbls
Portable Water	2,463bbls
BOP & Subsea Equipment	



BOP Rams	Shaffer x 13-5/8" x 10,000psiWP Single Ram , NOV/LXT x 13-5/8" x 10,000psiWP Dual Ram BOPs
BOP Annular	Shaffer x 13-5/8" x 5000psiWP Annular
Diverter	
Other Information	
Cranes	38.5 ton x 2
Heli-deck	Sikorski S61 N Helicopter
Containment System	zero discharge

BOHAI 7 ("BH7")





