HAIYANGSHIYOU931("HYSY931")


COSL Marke P. O. Phone Fax: sh_c	dditional Information Please Contact: DRILLING eting Department Box 232, Beijing 101149, China, P.R.C e: +86 010 84522511 +86 010 84522867 osldrillingmarket@cosl.com.cn .cosl.com.cn	
General Description		
Design/Generation	Self Elevating Mobile Offshore Drilling Unit	
Constructing Shipyard	Vyborg's Shipyard, Russia, and Finland	
Year Enter Service/Significant Upgrades	1995	
Classification	Tianjin,P.R.China	
Flag	China	
Displacement	24,259tons	
Variable Deck	2,600tons	
Operating Water Depth	300ft	
Maximum Drilling Depth	21,325ft	
Accomodation	120	
Drilling Equipment		
Top Drive	Varco TDS-8SA, 1,150HP, 3,000psi	
Draw works	National 1625-UDBE with 3 x 800HP	
Derrick	Bomco,LTD, China/ HJJ675/52-T	
Cantilever	60ftx 15ft	
Mud Pumps	BOMCO F2200 x 3, 2,200HPeach, 7,500psi	
Storage Capacities		
Fuel Oil	3.010bbls	
Liquid Mud	2,547bbls	
Base Oil		
Brine		
Drill Water	3,383bbls	
Portable Water	3,010bbls	
BOP & Subsea Equipment		

These specifications are intended for general reference purposes only. All equipment shall be operated and maintained at all times, in compliance with COSL DRILLING standard operating manuals, policies and procedures, and within its stated operational limits or continuous rated capacity, in order to assure maximum operational efficiency.



BOP Rams	Huabeirongseng x 13-5/8" x 10,000psiWP Single Ram , Huabeirongsheng x 13-5/8" x 10,000psiWP Dual Ram BOPs
BOP Annular	Huabeirongsheng 5k/weld cover x 13-5/8" x 10,000psiWP Annular
Diverter	none
Other Information	
Cranes	50ton x 2, 24ton x 1
Heli-deck	Mi-8 Ka-32
Containment System	zero discharge

HAIYANGSHIYOU 931 ("HYSY931")



These specifications are intended for general reference purposes only. All equipment shall be operated and maintained at all times, in compliance with COSL DRILLING standard operating manuals, policies and procedures, and within its stated operational limits or continuous rated capacity, in order to assure maximum operational efficiency.



