

BOHAI 4("BH4")

	For Additional Information Please Contact: COSL DRILLING Marketing Department P. O. Box 232, Beijing 101149, China, P.R.C Phone: +86 010 84522511 Fax: +86 010 84522867 sh_cosldrillingmarket@cosl.com.cn www.cosl.com.cn
General Description	
Design/Generation	Robin Lon / triangle
Constructing Shipyard	HITACHI SHIPBUILDING & ENGINEERING CO. LTD
Year Enter Service/Significant Upgrades	1977
Classification	ABS
Flag	China
Displacement	12,089tons
Variable Deck	2,455tons
Operating Water Depth	300ft
Maximum Drilling Depth	20,000ft
Accomodation	114
Drilling Equipment	
Top Drive	Varco TDS-8SA, 1,150HP, 5,000psi
Draw works	National 1320- UDBE with 2 x 1,250HPDC
Derrick	Woolslayer Company Inc./WCI 160*30*14'
Cantilever	45ftx 12ft
Mud Pumps	Baoji F-1600 x 2, 2 x 625HPeach, 5,000psi National-12P-160 x 1, 2 x 800HPeach, 5,000psi
Storage Capacities	
Fuel Oil	4,025bbls
Liquid Mud	2,128bbls
Base Oil	---
Brine	---
Drill Water	5,415bbls
Portable Water	2,371bbls
BOP & Subsea Equipment	

BOP Rams	Cameron /UM x 13-5/8" x 10,000psiWP Single Ram , Cameron /UM x 13-5/8" x 10,000psiWP Dual Ram BOPs
BOP Annular	CAMERON x 13-5/8" x 5,000psiWP Annular
Diverter	---
Other Information	
Cranes	26.3 ton x 3
Heli-deck	Sikorski S61 N Helicopter
Containment System	zero discharge

BOHAI 4 ("BH4")



