


BOHAI 9 (“BH9”)

	For Additional Information Please Contact: COSL DRILLING Marketing Department P. O. Box 232, Beijing 101149, China, P.R.C Phone: +86 010 84522511 Fax: +86 010 84522867 sh_cosl_drilling_market@cosl.com.cn www.cosl.com.cn
General Description	
Design/Generation	Bohai design Co/ VHT-904
Constructing Shipyard	Dalian Shipbuilding Industry Co, Ltd. P.R.C
Year Enter Service/Significant Upgrades	1984
Classification	CCS
Flag	China
Displacement	6,549tons
Variable Deck	1,375tons
Operating Water Depth	130ft
Maximum Drilling Depth	20,000ft
Accommodation	118
Drilling Equipment	
Top Drive	Varco IDS-1 ,1,000HP, 5,000psi
Draw works	EMSCO/C-2 with 2x800HPDC
Derrick	EMSCO/ 20 RD
Cantilever	---
Mud Pumps	EMSCO FB-1300x 2, 800HPeach, 5,000psi
Storage Capacities	
Fuel Oil	2,297bbls
Liquid Mud	2,154bbls
Base Oil	441bbls
Brine	441bbls
Drill Water	1,040bbls
Portable Water	2,396bbls
BOP & Subsea Equipment	

BOP Rams	Shaffer x 13-5/8" x 10,000psiWP Single Ram , Shaffer x 13-5/8" x 10,000psiWP Dual Ram BOPs
BOP Annular	Shaffer x 13-5/8" x 5,000psiWP Annular
Diverter	Hydril
Other Information	
Cranes	35ton x 2
Heli-deck	Sikorski S61 N Helicopter
Containment System	zero discharge

BOHAI 9 ("BH9")

