

**HAIYANGSHIYOU 932 (“HYSY932”)**

	<p>For Additional Information Please Contact:  <b>COSL DRILLING</b>  Marketing Department  P. O. Box 232, Beijing 101149, China, P.R.C  Phone: +86 010 84522511  Fax: +86 010 84522867  <a href="mailto:sh_cosldrillingmarket@cosl.com.cn">sh_cosldrillingmarket@cosl.com.cn</a>  <a href="http://www.cosl.com.cn">www.cosl.com.cn</a></p>
<b>General Description</b>	
Design/Generation	Friede & Goldman, Super M2
Constructing Shipyard	Yantai CIMC Raffles Offshore LTD
Year Enter Service/Significant Upgrades	2010
Classification	ABS
Flag	Marshall Island
Displacement	11,410tons
Variable Deck	3,080tons
Operating Water Depth	300ft
Maximum Drilling Depth	30,000ft
Accomodation	110
<b>Drilling Equipment</b>	
Top Drive	Canrig, 1,150HP, 7,500psi
Draw works	TSC/3000 drawworks 2x1500HP AC
Derrick	TSC bolted Single Static Bottle Neck
Cantilever	50ftx 15ft
Mud Pumps	TSC-WF2000 x 3, 2 x 1000HPeach, 7,500psi
<b>Storage Capacities</b>	
Fuel Oil	4,107bbls
Liquid Mud	2,289bbls
Base Oil	899bbls
Brine	899bbls
Drill Water	6,459bbls
Portable Water	2,339bbls
<b>BOP &amp; Subsea Equipment</b>	

BOP Rams	Cameron x 13-5/8 x 15,000psiWP Single Ram ,Cameronx 13-5/8"x 15,000psiWP Dual Ram BOPs
BOP Annular	Cameron x 13-5/8" x 10,000psiWP Annular
Diverter	GE VG/ KFDJ49.5
<b>Other Information</b>	
Cranes	50ton x 2
Heli-deck	Sikorski S61 N Helicopter
Containment System	zero discharge

**HAIYANGSHIYOU 932 (“HYSY932”)**



