


BOHAI 8 (“BH8”)

	For Additional Information Please Contact: COSL DRILLING Marketing Department P. O. Box 232, Beijing 101149, China, P.R.C Phone: +86 010 84522511 Fax: +86 010 84522867 sh_cosldrillingmarket@cosl.com.cn www.cosl.com.cn
General Description	
Design/Generation	Cantilever envelope
Constructing Shipyard	Marathon Letouneau, Singapore
Year Enter Service/Significant Upgrades	1978
Classification	ABS
Flag	China
Displacement	7,246tons
Variable Deck	1,800tons
Operating Water Depth	250ft
Maximum Drilling Depth	20,000ft
Accommodation	120
Drilling Equipment	
Top Drive	NOV IDS-1, 1,000HP, 5,000psi
Draw works	National 1320-UE with 2x1,000HPDC
Derrick	NATIONAL A
Cantilever	45ftx 12ft
Mud Pumps	National 12-P-160 x 2, 1600HPeach, 5,000psi
Storage Capacities	
Fuel Oil	1,406bbbls
Liquid Mud	1607bbbls
Base Oil	---
Brine	---
Drill Water	3,100bbbls
Portable Water	1,923bbbls
BOP & Subsea Equipment	

BOP Rams	Shaffer x 13-5/8" x 10,000psiWP Single Ram , Shaffer x 13-5/8" x 10,000psiWP Dual Ram BOPs
BOP Annular	Shaffer x 13-5/8" x 5,000psiWP Annular
Diverter	---
Other Information	
Cranes	30ton x 2, 35ton x 1
Heli-deck	Sikorski S61 N Helicopter
Containment System	zero discharge

BOHAI 8 ("BH8")

