


**HAIYANGSHIYOU 922 (“HYSY922”)**

	For Additional Information Please Contact: COSL DRILLING Marketing Department P. O. Box 232, Beijing 101149, China, P.R.C Phone: +86 010 84522511 Fax: +86 010 84522867 <a href="mailto:sh_cosldrillingmarket@cosl.com.cn">sh_cosldrillingmarket@cosl.com.cn</a> <a href="http://www.cosl.com.cn">www.cosl.com.cn</a>
<b>General Description</b>	
Design/Generation	Friede & Goldman, Ltd. TM / L-780 MOD II
Constructing Shipyard	Qingdao Shipbuilding Industry Co, Ltd. P.R.C
Year Enter Service/Significant Upgrades	2010
Classification	CSA
Flag	China
Displacement	5,413tons
Variable Deck	2,269tons
Operating Water Depth	200ft
Maximum Drilling Depth	18,000ft
Accommodation	100
<b>Drilling Equipment</b>	
Top Drive	AKER MH AS, 1150HP, 5,000psi
Draw works	Baoji petroleum machine CO.,LTD / JC-70D with 1x2,000HPAC
Derrick	Baoji petroleum machine / HJJ450/47-T7
Cantilever	40ft x 12ft
Mud Pumps	BAOJI F-1600 x 3, 1,600HP each, 5000 psi
<b>Storage Capacities</b>	
Fuel Oil	2,522bbls
Liquid Mud	1,874bbls
Base Oil	---
Brine	---
Drill Water	5,616bbls
Portable Water	1,861bbls
<b>BOP &amp; Subsea Equipment</b>	

BOP Rams	Huabei Petroleum machine CO.LTDx13-5/8 "x 10,000psiWP Single Ram &Dual Ram BOPs
BOP Annular	Huabei Petroleum machine CO.LTD x 13-5/8" x 5,000psiWP Annular
Diverter	Huabei petroleum machine CO.LTD /FH35
<b>Other Information</b>	
Cranes	35ton x 2
Heli-deck	Sikorski S61 N Helicopter
Containment System	zero discharge

**HAIYANGSHIYOU 922 (“HYSY922”)**

