


HAIYANGSHIYOU 942 (“HYSY942”)

	<p>For Additional Information Please Contact: COSL DRILLING Marketing Department P. O. Box 232, Beijing 101149, China, P.R.C Phone: +86 010 84522511 Fax: +86 010 84522867 sh_cosldrillingmarket@cosl.com.cn www.cosl.com.cn</p>
General Description	
Design/Generation	Friede & Goldman,Ltd.™/JU2000E
Constructing Shipyard	Dalian Shipbuilding Industry Co,Ltd
Year Enter Service/Significant Upgrades	2006
Classification	ABS
Flag	CHINA
Displacement	22,619tons
Variable Deck	6,534tons
Operating Water Depth	400ft
Maximum Drilling Depth	30,000ft
Accommodation	145
Drilling Equipment	
Top Drive	NOV HPS-750-E-AC-1S-KT, 1150HP,7,500psi
Draw works	SSGD-750-4600-50-82 with 4x1,150HPAC
Derrick	National Oilwell D-170x40-2000-JU-BN
Cantilever	70ftx 15ft
Mud Pumps	NOV 14-P-220 x 3, 2 x 1,150HPeach, 7,500 psi
Storage Capacities	
Fuel Oil	4,150bbls
Liquid Mud	4,729bbls
Base Oil	1,339bbls
Brine	1,339bbls
Drill Water	9,874bbls
Portable Water	3,459bbls
BOP & Subsea Equipment	
BOP Rams	Cameron x 13-5/8" x 15,000psiWP Single Ram BOP, Cameron x 13-5/8" x 15,000psiWP Dual Ram BOPs

BOP Annular	Cameron x 13-5/8" x 10,000psiWP Annular
Diverter	Vetco Gray/ Accumulator Module Model TX574
Other Information	
Cranes	50.31 ton x 3
Heli-deck	Sikorski S61 N Helicopter
Containment System	zero discharge

HAIYANGSHIYOU 942 (“HYSY942”)

