

COSL STRIKE

	For Additional Information Please Contact: COSL DRILLING Marketing Department P. O. Box 232, Beijing 101149, China, P.R.C Phone: +86 010 84522511 Fax: +86 010 84522867 sh_cosldrillingmarket@cosl.com.cn www.cosl.com.cn
General Description	
Design/Generation	KFELS - B Class
Constructing Shipyard	KFELS shipyard PTE Ltd, Singapore
Year Enter Service/Significant Upgrades	2006
Classification	ABS
Flag	Singapore
Displacement	15,480tons
Variable Deck	3,750tons
Operating Water Depth	400ft
Maximum Drilling Depth	30,000ft
Accomodation	112
Drilling Equipment	
Top Drive	NOV Varco TDS-8SA, 1150HP, 7,500psi
Draw works	NOV ADS-10T with3 x 1150HPAC
Derrick	Woolslayer Bolted H-beam
Cantilever	70ftx 15ft
Mud Pumps	LEWCO W-2215 x 3, 2 x 1,150HP each ,7,500 psi
Storage Capacities	
Fuel Oil	2,630bbls
Liquid Mud	3,613bbls
Base Oil	662bbls
Brine	1939bbls
Drill Water	19,921bbls
Portable Water	2,053bbls
BOP & Subsea Equipment	
BOP Rams	Cameron / Type TL x 18-3/4"x15,000psiWP Dual Rams x2

BOP Annular	Cameron / DL X18-3/4"x10,000psi
Diverter	Vetco Gray KFDJ-500
Other Information	
Cranes	50 ton x 3
Heli-deck	Sikorski S61 N Helicopter
Containment System	zero discharge

COSL STRIKE



